# CRYSTAL MOUNTAIN PRODUCT BROCHURE





GLACIER
Bottled Water Cooler

# GLACIER Bottled Water Cooler



The Glacier cooler is sophistication simplified. The rounded cabinet has a stylish fluted front, giving it a classic Greek column design. Features include a removable reservoir and can be built with either the Crystal Cone or sealed  $DryGuard^{TM}$  no spill system. The Glacier is available in white or black colour.





PP Faucet with self closing handle



Hot water ON and OFF switch



Cup dispenser



Removable drip tray

# **DryGuard**™

Crystal Mountain's patented sealed-system
DryGuard<sup>™</sup> feature, moulded from
polypropylene, protects floors against leaks
caused by cracked and faulty bottles.



# Point of Use system

Option to convert to point of use with a separate POU conversion kit





# **Performance and Specifications**

### General

Air cooled, bottled type water cooler provided with a power supply cord for connection to source of power supply, available in hot and cold, and cold and ambient

### **Cooler Cabinet**

Blow moulded, high density polyethylene (HDPE) resistant to cracking. Other colours are also available when ordering by container

### **Faucet Type**

Polypropylene (PP) faucet with self closing handle. Hot Faucet includes a Child Resistant Handle which requires dual action to activate

### **Cold Water Tank Specifications**

Stainless steel #304 or HDPE casing with 2.8L (0.62 gal) volume

Cold water cooling capacity of 2.0L/hr (0.44 gal/hr) based on 21°C (69.8°F) room temperature

### **Cold Water Thermostat**

Preset at factory to dispense water at temperature from 4-10°C (39.2-50°F)

Adjustable cold control located at the back of the cabinet

### **Hot Water Tank Specifications**

Stainless steel #304 casing with 2.0L (0.44 gal) volume

Hot water capacity of 4.5L/hr (0.99 gal/hr) based on 21°C (69.8°F) room temperature

### **Hot Water Thermostats and Heater**

Automatic thermostat control with temperature range of 74-92° C (165.2-197.6°F)

Manual thermostat reset in case of automatic thermostat failure

450W external heater band

ON/OFF switch located at the back of the cabinet


Electronic Thermostat System (ETS) is available, which provides for a temperature control range of 88-92°C (190.4-197°F)

### **Compressor Type**

Hermetically sealed reciprocating compressor

220-240VAC 50Hz

**Refrigerant Type:** R134a (CFC Free) **Refrigerant Charge:** 25g (0.9 oz)



	<b>*</b>	Ţ.	
Product Boxed Weight (kg/lb)		Loadir	g Qty
	(kg/lb)	20FT	401
:14.8kg	C&C:14.6kg		

Model	Products Dimensions	Box Dimensions WxDxH (mm/in.)	Product Weight (kg/lb)		Product Boxed Weight (kg/lb)		Loading Qty	
	WxDxH (mm/in.)						20FT	40FT
Glacier Bottle Water Cooler	314x312x980mm	330x320x1000mm	H&C:13.7kg	C&C:13.4kg	H&C:14.8kg	C&C:14.6kg	252 units	518 units
	12.4"x12.2"x36.8"	13.0"x12.5"x39.4"	(30.1 lb)	(29.6 lb)	(32.6 lb)	(32.1 lb)		



# Crystal Mountain Products Limited

**European Sales Office** 

Fence House, Fence Avenue Macclesfield, Cheshire United Kingdom SK10 1LT Tel: +44(0) 1625 439 111 Fax: +44 (0) 1625 502 527 E-mail: cmeurope@crystalcoolers.com

### **North American Sales Office**

200 Carnegie Drive, Suite 234 St. Albert, AB, T8N 5A7 Canada Toll Free: 800 878 6422 Tel: 1 780 454 4545 E-mail: sales@crystalcoolers.com

### **Crystal Mountain Products Inc.**

**US Office / Warehouse** 

1665 Westbelt Drive Columbus, Oh 43228 Outbound Door #2 Tel: (614) 454 1618 Fax:(614) 409 9782 E-mail: sales@crystalcoolers.com

### **Crystal Mountain International Limited**

### **Hong Kong Sales Office**

Room 610, Winfield Commercial Building 6-8a Prat Avenue, Tsimshatsui Kowloon, Hong Kong Tel: (852) 2368 1989 Fax: (852) 3017 6727 E-mail: cmasia@crystalcoolers.com



## Website: www.crystalcoolers.com

Crystal Mountain has a policy of continuous development and reserves the right to change specifications without notification.

